



Slovak Society of Chemical Engineering  
Institute of Chemical and Environmental Engineering  
Slovak University of Technology in Bratislava

## PROCEEDINGS

51<sup>st</sup> International Conference of the Slovak Society of Chemical Engineering SSCHE 2025

Hotel DRUŽBA  
Jasná, Demänovská Dolina, Slovakia  
May 27 - 30, 2025

Editors: Assoc. Prof. Mário Mihaľ

ISBN: 978-80-8208-158-2, EAN: 9788082081582

Published by the Faculty of Chemical and Food Technology Slovak Technical University in Bratislava in Slovak Chemistry Library for the Institute of Chemical and Environmental Engineering; Radlinského 9, 812 37 Bratislava, 2024

Michálek, P., Variny, M.: Multicriteria analysis of various CCS Technologies, Editors: Mihaľ, M., In *51st International Conference of the Slovak Society of Chemical Engineering SSCHE 2025*, Jasná, Demänovská Dolina, Slovakia, 2025.

## **Multicriteria analysis of various CCS Technologies**

---

Michálek P., Variny M.

*Department of Chemical and Biochemical Engineering, Faculty of Chemical and Food Technology, Slovak University of Technology, Radlinského 9, 821 37 Bratislava, Slovakia*

Carbon Capture and Storage Technology (CCS) is considered one of the most promising approaches for reducing CO<sub>2</sub> emissions produced by industry. There are numerous technologies available for CO<sub>2</sub> capture. Mostly used amine absorption, cryogenic separation or membranes that are still under development to be commercially available. Each of those technologies has its own advantages and disadvantages, particularly in terms of heat and electrical energy consumption. The aim of this study is to design CCS system for treating specific flue gas from industrial combustion process, to obtain CO<sub>2</sub> that meets required parameters for geological storage. Subsequently, a multicriteria analysis is applied to determine which technology is the most efficient from various perspectives, including economic, environmental, energy-related, and technological readiness level (TRL).

This study was supported by the Slovak Research and Development Agency under contract nos. APVV-18-0134 and APVV-19-0170. The authors acknowledge the financial support from the Slovak Society of Chemical Engineering and thank NAFTA a.s. for their valuable collaboration in conducting this study.