



Slovak Society of Chemical Engineering  
Institute of Chemical and Environmental Engineering  
Slovak University of Technology in Bratislava

## PROCEEDINGS

51<sup>st</sup> International Conference of the Slovak Society of Chemical Engineering SSCHE 2025

Hotel DRUŽBA  
Jasná, Demänovská Dolina, Slovakia  
May 27 - 30, 2025

Editors: Assoc. Prof. Mário Mihaľ

ISBN: 978-80-8208-158-2, EAN: 9788082081582

Published by the Faculty of Chemical and Food Technology Slovak Technical University in Bratislava in Slovak Chemistry Library for the Institute of Chemical and Environmental Engineering; Radlinského 9, 812 37 Bratislava, 2024

Dudu, A., Paizs, C., Tosa, M.: Optimization of reaction parameters by factorial design for the enzymatic synthesis of natural aroma esters, Editors: Mihaľ, M., In *51st International Conference of the Slovak Society of Chemical Engineering SSCHE 2025*, Jasná, Demänovská Dolina, Slovakia, 2025.

## Optimization of reaction parameters by factorial design for the enzymatic synthesis of natural aroma esters

Adrian-Ioan Dudu<sup>1</sup>, Csaba Paizs<sup>1</sup>, Monica-Ioana Toşa<sup>1</sup>


<sup>1</sup>Enzymology and Applied Biocatalysis Research Center, Faculty of Chemistry and Chemical Engineering, Babeş-Bolyai University, Arany Janos 11, 400028, Cluj Napoca, Romania

e-mail: [adrian.dudu@ubbcluj.ro](mailto:adrian.dudu@ubbcluj.ro)

**Key words:** aroma ester; factorial design; lipase; sol-gel; green chemistry

In recent years an increase in the public's demand for bio-products has been observed. This has prompted increased efforts by the food and agricultural industries to develop alternative methods for preparing food ingredients with significantly reduced environmental impact in order to satisfy the general public's needs.

The current work shows the synthesis of seven aroma esters (anisyl propionate and butyrate, cinnamyl propionate and butyrate, benzyl propionate, butyrate and hexanoate) by direct esterification of carboxylic acids with the corresponding alcohols mediated by lipase B from *Candida antarctica* encapsulated in a sol-gel matrix in a solvent-free system using vacuum to remove the resultant water. The reaction parameters were optimized for each reaction system by factorial design experiments considering four factors (acid excess, temperature, applied vacuum and reaction time) on two levels. This study presents an alternative to the currently applied method for obtaining aroma esters which is extraction from natural sources.



By applying factorial design method (central composite) for optimization of each reaction the conversions were significantly increased (for example, from an isolation yield of 49.4% to 94.3% for cinnamyl butyrate). A semi-preparative experiment was further set-up for cinnamyl butyrate preparation and green chemistry metrics were determined for the above-mentioned

synthesis. A mass intensity of 6.04 and a *E*-factor of 4.76 demonstrated that the newly developed enzymatic process is suitable for industrial application based on the green chemistry principles.

### Acknowledgements

Financial support for this work was received through the project Advanced (multi)-enzymatic synthesis and purification processes for bio-based furan derivatives – ASPIRE, project code CF 25/14.11.2022, 2023-2026.