



Slovak Society of Chemical Engineering
Institute of Chemical and Environmental Engineering
Slovak University of Technology in Bratislava

PROCEEDINGS

51st International Conference of the Slovak Society of Chemical Engineering SSCHE 2025

Hotel DRUŽBA
Jasná, Demänovská Dolina, Slovakia
May 27 - 30, 2025

Editors: Assoc. Prof. Mário Mihaľ

ISBN: 978-80-8208-158-2, EAN: 9788082081582

Published by the Faculty of Chemical and Food Technology Slovak Technical University in Bratislava in Slovak Chemistry Library for the Institute of Chemical and Environmental Engineering; Radlinského 9, 812 37 Bratislava, 2024

Rajniak, P.: Experimental and theoretical investigation of spray drying: What can happen in single droplets , Editors: Mihaľ, M., In *51st International Conference of the Slovak Society of Chemical Engineering SSCHE 2025*, Jasná, Demänovská Dolina, Slovakia, 2025.

Experimental and theoretical investigation of spray drying: What can happen in single droplets

Pavol Rajniak

*Slovak Technical University, Faculty of Chemical and Food Engineering, Department of
Chemical and Environmental Engineering*

Radlinskeho 9, 81237 Bratislava, Slovakia

e-mail: pavol.rajniak@stuba.sk

Key words: 3-7 words, spray drying, experimental, theoretical

Spray drying is an important unit operation in pharmaceutical industry to produce solid amorphous dispersions which are frequently used to improve the solubility and thus the bioavailability of poorly soluble active pharmaceutical ingredients. The process can be studied at different levels: droplets, dryers, processes.

Goal of the presentation is to focus on heat and mass transfer phenomena during drying of single droplets. Interesting videos from laboratory ultrasonic levitator showing shrinking, ballooning and exploding of droplets and particles are shown first. Then a detailed distributed parameter model developed for simulation of a single droplet drying is presented. The model describes heat and mass transfer inside the droplet/particle, shrinking of the particle, the skin formation followed by skin thickening, crust formation and the final drying of non-shrinking particle. The model also calculates exchange of heat and mass between the particle and external drying gas and the decreasing particle density. An extension of the model for ballooning and exploding particles is also presented. The models are compared with droplet drying experiments from an ultrasonic levitator.